

STARLINK V5
WITH ROUTER MINI

Accessories Guide

STARLINK

Home Mount

Overview



The Starlink Home Mount is the ideal choice when doing a fixed install of your Starlink V5 on your home. Its double-pivot design allows for excellent flexibility, enabling mounting on vertical, sloped, or flat surfaces. Typical mounting locations include the fascia board near the top of a roofline or directly on a sloped roof.

Crafted from durable, weather-resistant materials, the mount ensures a sturdy and enduring foundation for your Starlink, capable of withstanding various environmental conditions.

Easy to install and adjust, the Home Mount comes with all necessary hardware and instructions, simplifying the setup process for a hassle-free experience.

Note: the Starlink Home Mount is intended to interface with the Pipe Adapter Mount that is included in the Starlink V5 Kit.

Product Details

Compatibility

Starlink V5

Kit Contents

Home Mount, 2X Lag Screws,
2X M6 Screws, Routing Clips,
Sealant Tape

Recommended Tools


Drill, 8 mm socket or 5/16" Socket,
Marker, Level

Package Dimensions

116 mm x 97 mm x 380 mm
(4.6 in x 3.8 in x 15 in)

Package Weight

1.15 kg
(2.5 lbs)



Pipe Adapter

Overview



The Starlink V5 Pipe Adapter is designed to attach to any existing pole with a minimum diameter of 31 mm (1.2 in) and a maximum diameter of 50 mm (2.0 in). This adaptable and sturdy device allows seamless installation onto a variety of pole sizes, offering flexibility and ease in positioning your Starlink for optimal performance.

Crafted from durable, weather-resistant materials, the mount ensures a sturdy and enduring foundation for your Starlink, capable of withstanding various environmental conditions.

The Starlink Pipe Adapter is engineered for easy installation and is included in the Starlink V5 Kit, ensuring a hassle-free setup process.

PIPE NOT INCLUDED. ONLY INTENDED TO BE USED WITH METAL PIPES, NOT PVC OR PLASTIC PIPES.

Product Details

Compatibility

Starlink V5

Kit Contents


Starlink Pipe Adapter, Hex Key

Package Dimensions

210 mm x 136 mm x 74 mm
(8.3 in x 5.4 in x 2.9 in)

Package Weight

0.4 kg
(0.88 lbs)



Router Mini

Overview



The Starlink Router Mini is an affordable, compact, Wi-Fi 6, dual-band radio router designed for Starlink. With excellent range and performance, its small size makes it ideal for using as a mesh node to help fill in dead spots in your home, increasing the Wi-Fi speed and range, delivering a seamless Wi-Fi experience.

Mesh Compatibility: Compatible with Starlink Gen 2 Router, Starlink Router 3, Starlink Router Mini and Starlink Mini Kit.

Not compatible to mesh with Starlink Gen 1 Routers or 3rd party mesh systems. For best performance, use a wired connection for your router. If connecting to your Mini, use 15 m Mini Starlink Ethernet Cable. If connecting to another Starlink router, use an shielded RJ45 cable rated to Cat5e or greater.

Product Details

Compatibility

Gen 2 Router, Router 3, Router Mini
Standard 4, Standard 4X, Starlink Mini

Kit Contents

One (1) Latching Ethernet LAN port
One (1) Latching Ethernet WAN port

Recommended Tools


Drill, 5.5 mm (7/32 in) Drill Bit, Phillips
screwdriver

Package Dimensions

206.5 mm x 166.5 mm x 56.5 mm
(8.1 in x 6.6 in x 2.2 in)

Package Weight

0.44 kg
(0.97 lbs)



Starlink Cable

15 m | 49.2 ft



The 15 m cable is designed to replace the Starlink 15 m Cable from the Starlink Kit in case of damage or if you need an extra cable outside of your permanent installation.

Product Details

Compatibility

Starlink V5, Starlink Standard 4, Starlink Standard 4X

Cable Length


15 m (49.2 ft)

Package Dimensions

135 mm x 50 mm x 360 mm
(5.3 in x 2 in x 14.2 in)

Package Weight

1 kg
(2.2 lbs)



Starlink Ethernet Cable

2 m | 6.6 ft



The 2 m ethernet cable is designed to replace the 5 m Starlink Ethernet Cable from the Performance Kit in case of damage or if you need an extra cable outside of your permanent installation.

Product Details

Compatibility

Starlink V5, Starlink Performance, Starlink Standard 4

Cable Length

2 m (6.6 ft)

Package Dimensions

102 mm x 325 mm x 33 mm
(4.0 in x 12.8 in x 1.3 in)

Package Weight

0.3 kg
(0.7 lbs)

