

STARLINK | MGA DETALYE NG PERFORMANCE





Puwede nang bilhin pagkatapos matanggap ang confirmation email ng order.


MGA HIGHLIGHT NG STARLINK PERFORMANCE

Idinisenyo para sa matatag na connectivity sa mga liblib na lugar at mga lugar na may matinding kondisyon ang kapaligiran, matinding lagay ng panahon, mga setting na may mataas na vibration, at paggamit habang bumibiyah.


- Kasalukuyang may kakayahan ang Starlink Performance Kit na mag-download sa bilis na hanggang 400+ Mbps para sa mabilis at maaasahang connectivity kapag kailangan mo ito. Nakatuon ang Starlink na gumawa ng mga pagpapahusay sa network na papayagan ang pagsisimula ng mga gigabit speed sa mga pinakaliblib na lugar sa iba't ibang panig ng Mundo gamit ang Performance Kit. Magiging available ang mga upgrade sa service plan sa 2026. Hindi na kailangang palitan ang hardware.
- May kakayahang tumagal sa hangin na hanggang 270+ kph (170+ mph) at temperatura na mula -40°C hanggang 60°C (-40°F hanggang 140°F).
- Pinahusay na kapasidad sa pagtunaw ng snow, na nagtatampok ng IP68 (naka-unplug) - IP69K (naka-plug) waterproof rating. Angkop para sa paglubog sa 1 metrong tubig nang hanggang 30 minuto at pressure washing.
- Puwedeng i-mount sa rack ang Advanced Power Supply na kasama ng Starlink Performance Kit, na tumatakbo sa AC at DC power, at sinusuportahan ang DC input na may backup na baterya para sa tuloy-tuloy na operasyon. Nagtatampok ito ng smart diagnostics, high-power PoE port, at LAN port, na nag-aalok ng real-time na pagsubaybay, tuloy-tuloy na connectivity, at maaasahang performance para sa mga demanding network at industrial application.
- Idinisenyo para sa 10 taong mission life. Tingnan ang Gabay sa Durability para sa iba pang detalye.




Ano ang Laman ng Kahon




Starlink Performance Dish




Advanced Power Supply




Starlink Performance Cable
25 m
(82 ft)



Starlink Ethernet Cable
5 m
(16.4 ft)




Starlink AC Power Cable
1.5 m
(4.9 ft)




Starlink DC Power Cable
1.5 m
(4.9 ft)



Timbang ng Package:	11.8 kg (26 lbs)
Sukat ng Package:	686 x 454 x 121 mm (27.0 x 17.9 x 4.8 in)




Antenna	Electronic Phased Array
Field of View	140°
Orientation	Software Assisted Manual Orienting
Timbang	5.2 kg (11.5 lb)
Environmental Rating	IP69K (may naka-install na cable) IP68 (walang naka-install na cable)
Operating Temperature	-40°C hanggang 60°C (-40°F hanggang 140°F)
Wind Speed	Survivable: 280 kph+ (174 mph+)
Kakayahang Tumunaw ng Snow	Hanggang 85mm/oras (3.5 in/oras)
Power Consumption	Average: 75-100 W
Router	Starlink Gen3 Router Starlink Router Mini 3rd Party Routers





Sukat ng Produkto	310 mm x 180 mm x 40 mm (12.2 in x 7.1 in x 1.6in)
Timbang	2.1 kg (4.6 lbs)
Environmental Rating	IP68 (may naka-install o naka-plug na cable)
Operating Temperature	-40°C hanggang 60°C (-40°F hanggang 140°F)
Mga Detalye ng Power	100-240VAC, 12V-56VDC




Pin 1	Kulay ng Wire	Pin 2
Shield	Drain - Bare Wire	Shield
8	Brown	6
7	White / Brown	5
6	Green	4
5	White / Blue	7
4	Blue	8
3	White / Green	3
2	Orange	2
1	White / Orange	1







Kulay ng Wire	
Drain - Bare Wire	
Brown	
White / Brown	
Green	
White / Blue	
Blue	
White / Green	
Orange	
White / Orange	

Pin 1	
Shield	
8	
7	
6	
5	
4	
3	
2	
1	








Pin 1
Positive
Negative

Kulay ng Wire
Red
Black

Pin 2
Positive
Negative





Pin 1	Kulay ng Wire	Pin 2
Ground	Green	Ground
Neutral	White	Neutral
Hot	Black	Hot