


STARLINK V5
WITH ROUTER MINI

Specifications

STARLINK

Kit Content

What's in the Box



Getting Started

Install App


Download Starlink App

Scan the QR code to download the Starlink App.



setup.starlink.com

Starlink V5
Dimensions



Product Details

Antenna

Electronic Phased Array

Field of View

110°

Orientation

Software Assisted Manual Orienting

Kit Weight

3.8 kg (8.4 lbs)

Dish Weight

1.1 kg (2.4 lbs)

Environmental Rating

IP67 Type 4

Operational Temperature

-30°C to 50°C (-22°F to 122°F)

Wind Speed (mounted)

Operational: 265 kph (165 mph)

Snow Melt Capability

Up to 40 mm / hour (1.6 in / hour)


Power Consumption

Average: 35 - 50 W


Power Indicator

LED | Starlink Top Face


Kickstand
Dimensions



Pipe Adapter
Dimensions




Power Supply
Dimensions



Product Details

- Product Dimensions**
157 mm x 74 mm x 36 mm
(6.2 in x 2.9 in x 1.4 in)
- Weight**
0.40 kg (0.9 lbs)
- Environmental Rating**
IP66 Type 4 with included cables installed
- Operating Temperature**
-30°C to 50°C (-22°F to 122°F)

Router Mini
Dimensions



Product Details

Wi-Fi Technology

Wi-Fi 6

Radio

Dual Band 2x2 MU-MIMO

Ethernet Ports

Two (2) Ports 1Gbps Ethernet (RJ45 Port)

Coverage

Up to 204 m² (2200 sqft)

Operating Temperature

-30°C to 50°C (-22°F to 122°F)

Weight

0.12 kg (0.26 lbs)

Security

WPA2

Environmental Rating

IPX0 indoor only

Power Indicator

LED | face plate, lower left corner

Mesh Compatibility


Compatible with Starlink Gen 2 Router, Starlink Router 3, Starlink Router Mini, and Starlink Mini Kit.

Not compatible for meshing with Starlink Gen 1 Router or third-party mesh systems. For best performance, use a wired connection for your router. If connecting to your Mini, use the 15 m Mini Starlink Ethernet Cable. If connecting to another Starlink router, use a shielded RJ45 cable rated Cat5e or greater.


Devices

Connect up to 235 devices

Starlink Cable
Overview



Product Details




Pin 1
Shield
8
7
6
5
4
3
2
1


Wire Color
Drain - Bare Wire
Brown
White / Brown
Green
White / Blue
Blue
White / Green
Orange
White / Orange

Pin 2
Shield
8
7
6
5
4
3
2
1


Starlink
Ethernet Cable
Overview



Dimensions



Power Cable
Overview



Dimensions

