


STARLINK V5
WITH ROUTER MINI

Specifications

STARLINK

Kit content

What's in the box

**Getting started**


Install app

Download Starlink app

Scan the QR code to download the Starlink app.

setup.starlink.com

Starlink V5
Dimensions




Product details


- Antenna**
Electronic phased array
- Field of view**
110°
- Orientation**
Software-assisted manual orienting
- Kit weight**
3.8 kg (8.4 lbs)
- Dish weight**
1.1 kg (2.4 lbs)
- Environmental rating**
IP67 Type 4
- Operational temperature**
-30 °C to 50 °C (-22 °F to 122 °F)
- Wind speed (mounted)**
Operational: 265 kph (165 mph)
- Snow melt capability**
Up to 40 mm/hour (1.6 in/hour)

- Power consumption**
Average: 35–50 W
- Power indicator**
LED | Starlink top face

Kickstand
Dimensions




Pipe Adapter
Dimensions



Power Supply

Dimensions



Product details

Product dimensions

153 mm x 75 mm x 36 mm
(6 in x 3 in x 1.4 in)

Weight

0.40 kg (0.9 lbs)


Environmental rating

IP66 Type 4 with included cables installed

Operating temperature

-30 °C to 50 °C (-22 °F to 122 °F)

Router Mini
Dimensions



Product details

WiFi technology

WiFi 6

Radio

Dual-Band 2x2 MU-MIMO

Ethernet ports

Two (2) ports 1 Gbps Ethernet (RJ45 port)

Coverage

Up to 204 m² (2,200 sq ft)

Operating temperature

-30 °C to 50 °C (-22 °F to 122 °F)

Weight

0.12 kg (0.26 lbs)

Security

WPA2

Environmental rating

IPX0 indoor only

Power indicator

LED | face plate, lower left corner

Mesh compatibility


Compatible with Starlink Gen 2 Router, Starlink Router 3, Starlink Router Mini and Starlink Mini Kit.

Not compatible for meshing with Starlink Gen 1 Router or third-party mesh systems. For best performance, use a wired connection for your router. If connecting to your Mini, use the 15 m Mini Starlink Ethernet Cable. If connecting to another Starlink router, use a shielded RJ45 cable rated Cat5e or greater.


Devices

Connect up to 235 devices

Starlink Cable
Overview



Product details




Pin 1
Shield
8
7
6
5
4
3
2
1


Wire colour
Drain – bare wire
Brown
White/brown
Green
White/blue
Blue
White/green
Orange
White/orange

Pin 2
Shield
8
7
6
5
4
3
2
1


Starlink
Ethernet Cable
Overview



Dimensions



Power Cable
Overview



Dimensions

